



(19) Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number:

0 341 093 A3

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 89304636.7

(51) Int. Cl.⁵: G01N 21/62, G01N 21/65,
G01N 23/223, G01N 21/87,
//B07C5/342

(22) Date of filing: 08.05.89

(30) Priority: 06.05.88 GB 8810723
07.07.88 GB 8816167
09.11.88 GB 8826225
23.03.89 GB 8906853

(43) Date of publication of application:
08.11.89 Bulletin 89/45

(84) Designated Contracting States:
BE DE NL

(60) Date of deferred publication of the search report:
27.02.91 Bulletin 91/09

(71) Applicant: GERSAN ESTABLISHMENT
Staedtle 36
FL-9490, Vaduz(LI)

(72) Inventor: Smith, Martin Phillip
18 Hamilton Road
Wargrave Berkshire RG10 8BB(GB)
Inventor: Smith, Robin Wyncliffe

79 Outram Road
Croydon Surrey CR0 6XJ(GB)
Inventor: Stewart, Andrew David Garry
The Old Rectory
Ashampstead Reading Berkshire(GB)
Inventor: Brink, Daniel Johannes
513 Rossouw Street
The Willows Pretoria R9A(ZA)
Inventor: Cooper, Martin
37 Terrington
Marlow Buckinghamshire SL7 2RE(GB)
Inventor: Welbourn, Christopher Mark
Oswald London Road
Sunningdale Berkshire(GB)
Inventor: Spear, Paul Martin
3 Bottisham Close Lower Earley
Reading Berkshire RG6 4ED(GB)


(74) Representative: Lyndon-Stanford, Edward
Willoughby Brooke et al
MARKS & CLERK 57/60 Lincoln's Inn Fields
London WC2A 3LS(GB)

(54) Identifying gemstones.

(57) In order to determine whether a particle is a diamond, 514.5 nm laser radiation, modulated at a frequency of 10 MHz to 1 GHz, is projected onto the particle 2, and the radiation emitted by the particle 2 is collected by a wide aperture viewing system 23 with narrow band pass filtering of the diamond Stokes or anti-Stokes Raman frequency appropriate to the laser wavelength. The emitted radiation is detected by a detector 6, and an associated elec-

tronic circuit 13,14,15 detects signals modulated at the same frequency as the laser modulation frequency. In this way, only Raman radiation is detected as this has a very short rise/decay time; other luminescence forms a background which is not modulated and can be removed by for instance thresholding, or heterodyne techniques. The method can be used to sort diamond from gangue on a wide belt, without very complicated optics.

EP 0 341 093 A3





DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl.5)		
X	GB-A-2 018 984 (COMPAGNIE INDUSTRIELLE RADIOPHYSIQUE) * Page 1, lines 67-78; claims 1,2 *	1,7	G 01 N 21/62 G 01 N 21/65 G 01 N 23/223 G 01 N 21/87 // B 07 C 5/342		
A	GB-A-1 528 699 (DE BEERS CONSOLIDATED MINES LTD) * Claims 1-7 *	1			
A	OPTICAL ENGINEERING, vol. 24, no. 2, March/April 1985, pages 352-355, Bellingham, Washington, US; M.D. DUNCAN et al.: "Imaging biological compounds using the coherent anti-Stokes Raman scattering microscope" * Page 352 left-hand column *	1,5,6			
A	US-A-3 736 428 (J.N. MONROE) * Claims 1,6 *	1,7			
A	US-A-4 200 801 (D.D. SCHURESKO) * Claim 1 *	1			
A	US-A-3 971 951 (K. RIKUKAWA) * Claim 1 *	1,7			
A	US-A-4 365 153 (O. SEIGEL) * Claims 1,3,23 *	1	G 01 N B 07 C		
E	EP-A-0 341 095 (GERSAN ESTABLISHMENT) * Claims 1-13 *	1,2,4,5,7, 8,10			
E	EP-A-0 345 949 (GERSAN ESTABLISHMENT) * Column 7, line 40 - column 8, line 30 *	1,7,8			
The present search report has been drawn up for all claims					
Place of search	Date of completion of search	Examiner			
The Hague	27 November 90	VAN DEN BULCKE E.			
CATEGORY OF CITED DOCUMENTS					
X: particularly relevant if taken alone					
Y: particularly relevant if combined with another document of the same category					
A: technological background					
O: non-written disclosure					
P: intermediate document					
T: theory or principle underlying the invention					
E: earlier patent document, but published on, or after the filing date					
D: document cited in the application					
L: document cited for other reasons					
&: member of the same patent family, corresponding document					

THIS PAGE BLANK (USPTO)